


# BABY-HOP POLY BABY-HOP










## Fertilizer spreaders Ground driven pull type hitch

- One piece seamless hopper.
- Even left-center-right spread pattern.
- High flotation air tires.
- Easy connecting pull type hitch.
- Sturdy tubular frame.
- Hopper leveling adjustment.
- Sealed heavy duty gearbox with metal gears.
- Ground controlled distribution.
- Polyethylene hopper with stainless steel bottom standard on models 103-230 & 106-230.



Adjustable spread pattern



MODEL	BABY-HOP	
	103-130	106-130
 lbs	62	84
 lbs	100	125
 cu.ft/lbs	3.71 / 237	5.30 / 339
 ft	3'-20"	3'-20"
 in	32"	35"
 in	39.6"	44.4"
 N°-in	2-13"x 6"	2-16"x 8"

POLY BABY-HOP	
103-230	106-230
62	84
100	125
3.71 / 237	5.30 / 339
3'-20"	3'-20"
32"	35"
39.6"	44.4"
2-13"x 6"	2-16"x 8"

NOTE: POUNDAGE capacity calculated @ 13-13-13 fertilizer weight of 64 lbs. per cu. ft.



### STANDARD



Gate opening control



Sealed gearbox manufactured by Befco with metal gears

### STANDARD



Bottom plate in stainless steel

## OPTIONALS SEED-RITE SRT

**CSR74SRT**

- Cast iron roller rings (factory installed)



**009-9985**

- Seed rate speed reduction kit



**009-9138**

- Seed conveyor kit



**009-9930**

- Rear expanded roller frame for seed covering/dethatching with adjustable tickler tines



## OPTIONALS MOLE 200 / 300

**009-9851**

- Hook-up stand all models




**009-9154**

- Hydraulic down force kit 200-512



**009-9155**

- Hydraulic down force kit 300-512 & 400-512 models



**PHD-003**

- Auger positioning handle all models



## OPTIONALS BABY-HOP POLY BABY-HOP


**AA1-120**

- Deflector shield



**009-9856**

- Remote gate control



- Hopper cover **009-9720** for all 103 models

**009-9721** for all 106 models



- Solid tires (factory installed)

**HRD103BH** for all 103 models

**HRD106BH** for all 106 models

