

# HURRICANE H70

30-70 HP (22-52 KW)  
540 rpm - cat. 1 & 2




## Flail mower












- Cutting heights: from 3/4" to 6".
- Choice of fine cut blades at 90° angles, reverse "Y" blades, paddle blades or hammer type blades.
- Dethatching blades available.
- Adjustable cutting height roller with scraper.
- Driveline with overrunning clutch (1 3/8" ASAE cat. 4).
- Highly engineered & rugged gearbox.
- Belt shield fender.
- Front & rear tractor mounting.
- Electronically balanced rotor.
- Heavy duty, one piece, balanced steel



pulleys.


- 2 heavy duty reinforced notched belts (CX).
- Manual belt tensioner.
- 3 point linkage, cat. 1 & 2.
- Floating top link.
- Forward & reverse rotor rotation; clockwise is standard.
- Cast iron rotor supports with spherical roller bearings.
- Rubber safety shielding.
- Replaceable skids.



MODEL		H70-060	H70-072	H70-088
	HP	30-70	35-70	40-70
	in	60"	72"	88"
	in	71"	85"	99"
	lbs	869	955	1,078
	lbs	1,045	1,145	1,298
	rpm	2,080	2,080	2,080
	fpm	8,464	8,464	8,464
	N°	64	80	96
	in	3/4"-6"	3/4"-6"	3/4"-6"
	N°	2 CX	2 CX	2 CX
	1 3/8"	ASAE cat. 4 overrunning clutch	ASAE cat. 4 overrunning clutch	ASAE cat. 4 overrunning clutch



## STANDARD



Reversible three point hitch for front or rear tractor mounting



Gearboxes manufactured by Befco



Belt shield fender




Cast iron rotor support with spherical roller bearings



Replaceable side skirts



Adjustable cutting height roller with scraper



Choice of fine cut blades, dethatching blades, reverse "Y" blades, paddle blades or hammer type blades

## OPTIONALS HURRICANE H70

**009-9691**

- Gauge wheels with laminated tires H70



- Rotor with dethatching blades (factory installed)

**DBD60H70** H70-060

**DBD72H70** H70-072

**DBD88H70** H70-088



- Rotor with reverse "Y" blades (factory installed)

**YBD60H70** H70-060

**YBD72H70** H70-072

**YBD88H70** H70-088



- Rotor with triangular paddle blades (factory installed)

**TBD60H70** H70-060

**TBD72H70** H70-072

**TBD88H70** H70-088



- Rotor with hammers (factory installed)

**HBD60H70** H70-060

**HBD72H70** H70-072

**HBD88H70** H70-088

**RVRXXH70**

- Reverse rotation (factory installed)



**FRTXXH70**

- Front mount H70 (factory installed)



**DST88H70**

- Dust skirt 88" (factory installed)



## OPTIONALS DESTROYER D90

**GDTXXD90**

- Gearbox with dual PTO (factory installed)



**009-9969**

- Side skids



**FRTXXD90**

- Front mount D90 (factory installed)

